



LYRA E.T.K
DIGITAL DENTAL PROTOCOLS

Simple . Safe . Accessible

2026 GUIDE TO IPHYSIO COMPATIBILITY WITH YOUR INTERFACES


INTRODUCTION

iPhysio has been designed to be compatible with most implant systems. It allows you to improve your practice without changing systems. This guide shows you, for each implant brand, the interfaces you can use in your range.

Compatibility legend :

- ✓ **Recommended** = the emergence profile of the interface is homothetic to that of the iPhysio reference indicated. It is mentioned as such in the library that we provide to your laboratory ("recommended").
- ✓ ~ **Other possible choice** = the emergence profile of the interface is compatible with the iPhysio reference indicated. It appears with the word "other".

In order to avoid any error of use, bases identified as non-compatible are not referenced in our library



STRAUMANN – BONE LEVEL



	NC H3.5 / H5.5 GH1.0	NCH 3.5 / H5.5 GH2.0	NC H3.5 / H5.5 GH3.0	NC ASC	NC Bridge/bar Conical	NC Bridge/bar Cylindrical	NC TAN
SBLN_I.A1	?			✓	✓	✓	✓
SBLN_I.A2	✓			✓	✓	✓	✓
SBLN_I.A3	?	✓					✓
SBLN_I.A4	?	✓					✓
SBLN_I.B1	?			✓	✓	✓	✓
SBLN_I.B2	✓			✓	✓	✓	✓
SBLN_I.B3	?	✓					✓
SBLN_I.B4	?	✓					✓
SBLN_I.D1	?			✓			✓
SBLN_I.D2	✓			✓			✓
SBLN_I.D3	?	✓					✓
SBLN_I.D4	?	✓					✓

	RC H3.5 / H5.5 GH1.0	RC H 3.5 / H5.5 GH2.0	RC H3.5 / H5.5 GH3.0	RC ASC	RC Bridge/bar Conical	RC Bridge/bar Cylindrical	RC TAN
SBLR_I.B1	✓			✓	✓	✓	✓
SBLR_I.B2	✓			✓	✓	✓	✓
SBLR_I.B3		✓					✓
SBLR_I.B4		✓	?				✓
SBLR_I.C1	✓			✓	✓	✓	✓
SBLR_I.C2	✓			✓	✓	✓	✓
SBLR_I.C3		✓					✓
SBLR_I.C4		✓	?				✓
SBLR_I.D1	✓				?	?	✓
SBLR_I.D2	✓				?	?	✓
SBLR_I.D3		✓					✓
SBLR_I.D4		✓	?				✓

Legend :

✓ Recommended

~ Other possible choice

STRAUMANN – BLX

	Variobase RB D3.8 GH1.5 H3.5 Variobase RB D3.8 GH1.5 H5.5	Variobase RB D3.8 GH2.5 H3.5 Variobase RB D3.8 GH2.5 H5.5	Variobase RB D3.8 GH3.5 H3.5 Variobase RB D3.8 GH3.5 H5.5	Variobase RB D4.5 GH1.5 H3.5 Variobase RB D4.5 GH1.5 H5.5	Variobase RB D4.5 GH2.5 H3.5 Variobase RB D4.5 GH2.5 H5.5	Variobase RB D4.5 GH3.5 H3.5 Variobase RB D4.5 GH3.5 H5.5	Variobase Bridge/bar RB D4.5 GH1.5 H3.5	Variobase ASC RB D4.5 GH1.5 AH5.5	Premill RB (TAN/CoCr)
SBLX_I.A2	✓								✓
SBLX_I.A3		✓							✓
SBLX_I.A4			✓						✓
SBLX_I.B2	✓			✓				✓	✓
SBLX_I.B3		✓			✓				✓
SBLX_I.B4			✓			✓			✓
SBLX_I.C2	✓			✓				✓	✓
SBLX_I.C3		✓			✓				✓
SBLX_I.C4			✓			✓			✓
SBLX_I.D2	✓								✓
SBLX_I.D3		✓							✓
SBLX_I.D4			✓						✓

Legend :

✓ Recommended

~ Other possible choice

STRAUMANN – TISSUE LEVEL

	RN					WN				
	RN H4.0 / H6.0	RN ASC AH4.0 / AH5.5	RN Bridge/bar Conical	RN Bridge/bar Cylindrical	RN TAN Premill	WN H4.5 / H6.5	WN ASC AH4.5 / AH6.5	WN Bridge/bar Conical	WN Bridge/bar Conical	WN TAN Premill
ACI_IR	✓	✓	~	✓	✓					
ACI_IW						✓	✓	✓	✓	✓

Legend :

✓ Recommended

~ Other possible choice

NOBEL BIOCARE

	Universal base CC NP 1.5	Universal base CC NP 3.0	CC NP Universal Base Non-Engaging Straight	CC NP Universal Base Non-Engaging Conical	CC NP Premill		Universal base CC RP 1.5	Universal base CC RP 3.0	CC RP Universal Base Non-Engaging Straight	CC RP Universal Base Non-Engaging Conical	CC NP Premill
NCCN_I.A1	~				✓	NCCR_I.B1	~			✓	✓
NCCN_I.A2	~				✓	NCCR_I.B2	✓			✓	✓
NCCN_I.A3		✓	✓		✓	NCCR_I.B3		~	✓		✓
NCCN_I.A4		✓	✓		✓	NCCR_I.B4		✓	✓		✓
NCCN_I.B1	~				✓	NCCR_I.C1	~			✓	✓
NCCN_I.B2	~			~	✓	NCCR_I.C2	✓			✓	✓
NCCN_I.B3		✓	✓		✓	NCCR_I.C3	~	~	✓		✓
NCCN_I.B4		✓	✓		✓	NCCR_I.C4		✓	✓		✓
NCCN_I.D1	✓				✓	NCCR_I.D1	✓			~	✓
NCCN_I.D2	✓				✓	NCCR_I.D2	✓			~	✓
NCCN_I.D3		✓	✓		✓	NCCR_I.D3		✓	✓		✓
NCCN_I.D4		✓	✓		✓	NCCR_I.D4		✓	✓		✓

Legend :

✓ Recommended

~ Other possible choice

ZIMVIE

	Ti-Base GenTek TSV H4.0 / 4.7 Engaged / NonEngaged	AS-Ti-Base CH0.3 GenTek TSV H4.5 / 5.7 / 7.0 Engaged / NonEngaged	AS-Ti-Base CH1.3 GenTek TSV H4.5 / 5.7 / 7.0 Engaged / NonEngaged	AS-Ti-Base CH2.6 GenTek TSV H4.5 / 5.7 / 7.0 Engaged	Custom Abutment PSA GenTek TSV
ZSC35_I.A1	✓	✓			✓
ZSC35_I.A2	✓	✓			✓
ZSC35_I.A3	✓	✓			✓
ZSC35_I.A4	✓	✓			✓
ZSC35_I.B1	✓	✓			✓
ZSC35_I.B2	✓	✓			✓
ZSC35_I.B3	✓	✓			✓
ZSC35_I.B4	✓	✓			✓
ZSC35_I.C1	✓	✓			✓
ZSC35_I.C2	✓	✓			✓
ZSC35_I.C3	✓	✓			✓
ZSC35_I.C4	✓	✓			✓
ZSC35_I.D1	✓	✓			✓
ZSC35_I.D2	✓	✓			✓
ZSC35_I.D3	✓	✓			✓
ZSC35_I.D4	✓	✓			✓

	Ti-Base GenTek TSV H4.0 / 4.7 Engaged / NonEngaged	AS-Ti-Base CH0.3 GenTek TSV H4.5 / 5.7 / 7.0 Engaged / NonEngaged	AS-Ti-Base CH1.3 GenTek TSV H4.5 / 5.7 / 7.0 Engaged / NonEngaged	AS-Ti-Base CH2.6 GenTek TSV H4.5 / 5.7 / 7.0 Engaged	Custom Abutment PSA GenTek TSV
ZSC45_I.B1	✓	✓			✓
ZSC45_I.B2	✓	✓	✓		✓
ZSC45_I.B3	✓	✓	✓		✓
ZSC45_I.B4	✓	✓	✓		✓
ZSC45_I.C1	✓	✓			✓
ZSC45_I.C2	✓	✓			✓
ZSC45_I.C3	✓	✓			✓
ZSC45_I.C4	✓	✓			✓
ZSC45_I.D1	✓	✓			✓
ZSC45_I.D2	✓	✓			✓
ZSC45_I.D3	✓	✓			✓
ZSC45_I.D4	✓	✓			✓

Legend :

✓ Recommended

~ Other possible choice

BIOTECH

		Ti-base Ø4.0mm						Ti-base Ø5.0mm						Ti-base Ø6.5mm				Ti-base Angulées					
	Custom Abutment BK-DI-36	KPCADCAM4007 /L	KPCADCAM4010 /L	KPCADCAM4020 /L	KPCADCAM4030 /L	KPCADCAM4040 /L	KPCADCAM4050 /L	KPCADCAM5007 /L	KPCADCAM5010 /L	KPCADCAM5020 /L	KPCADCAM5030 /L	KPCADCAM5040 /L	KPCADCAM5050 /L	KPCADCAM6520 /L	KPCADCAM6530 /L	KPCADCAM6540 /L	KPCADCAM6550 /L	KPCADCAM401VA	KPCADCAM402VA	KPCADCAM403VA	KPCADCAM501VA	KPCADCAM502VA	KPCADCAM503VA
BKO_I.A1	✓	✓																✓			✓		
BKO_I.A2	✓		✓															✓					
BKO_I.A3	✓		✓																✓			✓	
BKO_I.A4	✓			✓															✓				
BKO_I.B1	✓	✓						✓										✓			✓		
BKO_I.B2	✓		✓															✓					
BKO_I.B3	✓		✓							✓									✓			✓	
BKO_I.B4	✓			✓							✓								✓				✓
BKO_I.C1	✓	✓						✓										✓			✓		
BKO_I.C2	✓		✓											✓				✓					
BKO_I.C3	✓		✓							✓									✓			✓	
BKO_I.C4	✓			✓							✓					✓			✓				✓
BKO_I.D1	✓	✓																		✓			
BKO_I.D2	✓		✓															✓					
BKO_I.D3	✓		✓																		✓		
BKO_I.D4	✓			✓															✓				

Legend :
 ✓ Recommended
 ~ Other possible choice

GLOBAL D

		BaseTi Ø3.8mm				BaseTi Ø5.5mm			
	Custom Abutment S3DEL DLABPMVINK	DEVCI3.8H0.6	DEVCI3.8H2	DEVCI3.8H3	DEVCI3.8H4	DEVCI5.5H1.5	DEVCI5.5H2.2	DEVCI5.5H3	DEVCI5.5H4
GIK_I.A1	✓	✓							
GIK_I.A3	✓		~						
GIK_I.B1	✓	✓				~			
GIK_I.B3	✓						✓	~	
GIK_I.C1	✓	✓							
GIK_I.C3	✓						✓		

Legend :

✓ Recommended

~ Other possible choice

MIS

	Ti-Base H=0.5, Anti-rotation (MD-TB001)	Ti-Base H=0.5, Free-rotation (MD-TB002)	Ti-Base H=1.5, Anti-rotation (MD-TBC15)	Ti-Base H=1.5, Free-rotation (MD-FTB15)	Ti-Base H=3.0, Anti-rotation (MD-TBC30)	Ti-Base H=3.0, Free-rotation (MD-FTB30)	EZ-Base SP H=1.5 (MD-EZB15)	Incisor Ti-Base H=0.5 C=6 (MD-IN060)	Ti-Blank SP
ZSC35_I.A1	✓	✓						✓	✓
ZSC35_I.A2	✓	✓						✓	✓
ZSC35_I.A3	✓	✓						✓	✓
ZSC35_I.A4	✓	✓						✓	✓
ZSC35_I.B1	✓	✓							✓
ZSC35_I.B2	✓	✓							✓
ZSC35_I.B3	✓	✓						✓	✓
ZSC35_I.B4	✓	✓						✓	✓
ZSC35_I.C1	✓	✓							✓
ZSC35_I.C2	✓	✓							✓
ZSC35_I.C3	✓	✓						✓	✓
ZSC35_I.C4	✓	✓						✓	✓
ZSC35_I.D1	✓	✓						✓	✓
ZSC35_I.D2	✓	✓						✓	✓
ZSC35_I.D3	✓	✓						✓	✓
ZSC35_I.D4	✓	✓						✓	✓

Legend :

✓ Recommended

~ Other possible choice

	Ti-Base H=0.5, Anti-rotation (MW-TB001)	Ti-Base H=0.5, Free-rotation (MW-TB002)	Ti-Base H=1.5, Anti-rotation (MW-TBC15)	Ti-Base H=1.5, Free-rotation (MW-FTB15)	Ti-Base H=3.0, Anti-rotation (MW-TBC30)	Ti-Base H=3.0, Free-rotation (MW-FTB30)	EZ-Base WP H=1.5 (MW-EZB15)	Ti-Blank WP
ZSC45_I.B1	✓	✓						✓
ZSC45_I.B2			✓	✓	✓	✓		✓
ZSC45_I.B3					✓	✓		✓
ZSC45_I.B4					✓	✓		✓
ZSC45_I.C1	✓	✓						✓
ZSC45_I.C2	✓	✓						✓
ZSC45_I.C3			✓	✓			✓	✓
ZSC45_I.C4			✓	✓				✓
ZSC45_I.D1								✓
ZSC45_I.D2								✓
ZSC45_I.D3								✓
ZSC45_I.D4								✓

ALPHABIO

	Ti-Base Engaged (Anti-R) GH 0.75 (4961) Ti-Base Non-Engaged (Rotational) GH 0.75 (4964)	Ti-Base Engaged (Anti-R) GH 1.5 (4962) Ti-Base Non-Engaged (Rotational) GH 1.5 (4965)	Ti-Base Engaged (Anti-R) GH2.5 (4963) Ti-Base Non-Engaged (Rotational) GH2.5 (4966)	Ti-Base Wide Engaged (Anti- R) GH 0.75 (5007) Ti-Base Wide Non-Engaged (Rotational) GH 0.75 (5008)	Blank PreFace
ZSC35_I.A1	✓				✓
ZSC35_I.A2	✓				✓
ZSC35_I.A3		✓			✓
ZSC35_I.A4		✓			✓
ZSC35_I.B1	✓			✓	✓
ZSC35_I.B2	✓			✓	✓
ZSC35_I.B3		✓			✓
ZSC35_I.B4		✓			✓
ZSC35_I.C1				✓	✓
ZSC35_I.C2	✓			✓	✓
ZSC35_I.C3		✓			✓
ZSC35_I.C4		✓			✓
ZSC35_I.D1	✓				✓
ZSC35_I.D2	✓				✓
ZSC35_I.D3		✓			✓
ZSC35_I.D4		✓			✓

Legend :

✓ Recommended

~ Other possible choice

ANTHOGYR

	X-BASE Ø4.0 H1.5 : OPFLEX414 / OPFLEX416	X-BASE Ø5.0 H1.5 : OPFLEX514 / OPFLEX516	X-BASE Ø6.0 H1.5 : OPFLEX614 / OPFLEX616	X-BASE Ø4.0 H2.5 : OPFLEX424 / OPFLEX426	X-BASE Ø5.0 H2.5 : OPFLEX524 / OPFLEX526	X-BASE Ø6.0 H2.5 : OPFLEX624 / OPFLEX626	X-BASE Ø4.0 H3.5 : OPFLEX434 / OPFLEX436	X-BASE Ø5.0 H3.5 : OPFLEX534 / OPFLEX536	X-BASE Ø6.0 H3.5 : OPFLEX634 / OPFLEX636	OPBASE-C501-L	OPBASE-C502-L	OPBASE-C503-L	PreFace
AAI_I.A1													✓
AAI_I.A2	✓												✓
AAI_I.A3				✓									✓
AAI_I.A4							✓						✓
AAI_I.B1													✓
AAI_I.B2					✓								✓
AAI_I.B3					✓								✓
AAI_I.B4				✓				✓					✓
AAI_I.C1			✓										✓
AAI_I.C2						✓							✓
AAI_I.C3					✓								✓
AAI_I.C4				✓					✓				✓
AAI_I.D1													✓
AAI_I.D2	✓												✓
AAI_I.D3				✓									✓
AAI_I.D4							✓						✓

Legend :
 ✓ Recommended
 ~ Other possible choice

BIOHORIZONS

	Hexed (PYHYB)	Non-Hexed (PYHYBN)	Hexed 2mm (PYHYB2)	Laser Lock (PYTBL)	Ti	Ti Laser Lock
ZSC35_I.A1	✓	✓			✓	
ZSC35_I.A2	✓	✓			✓	
ZSC35_I.A3	✓	✓		✓	✓	
ZSC35_I.A4	✓	✓		✓	✓	
ZSC35_I.B1	✓	✓			✓	✓
ZSC35_I.B2	✓	✓			✓	✓
ZSC35_I.B3	✓	✓		✓	✓	
ZSC35_I.B4	✓	✓		✓	✓	
ZSC35_I.C1	✓	✓			✓	
ZSC35_I.C2	✓	✓			✓	✓
ZSC35_I.C3	✓	✓		✓	✓	
ZSC35_I.C4	✓	✓		✓	✓	
ZSC35_I.D1	✓	✓			✓	
ZSC35_I.D2	✓	✓			✓	
ZSC35_I.D3	✓	✓		✓	✓	
ZSC35_I.D4	✓	✓		✓	✓	

	Hexed (PGHYB)	Non-Hexed (PGHYBN)	Hexed 2mm (PGHYB2)	Laser Lock (PGTBL)	Ti	Ti Laser Lock
ZSC45_I.B1	✓	✓			✓	
ZSC45_I.B2	✓	✓		✓	✓	
ZSC45_I.B3	✓	✓	✓	✓	✓	
ZSC45_I.B4	✓	✓	✓	✓	✓	
ZSC45_I.C1	✓	✓			✓	✓
ZSC45_I.C2	✓	✓			✓	
ZSC45_I.C3	✓	✓	✓	✓	✓	
ZSC45_I.C4	✓	✓	✓	✓	✓	
ZSC45_I.D1	✓	✓			✓	
ZSC45_I.D2	✓	✓			✓	
ZSC45_I.D3	✓	✓		✓	✓	
ZSC45_I.D4	✓	✓		✓	✓	

Legend :

✓ Recommended

~ Other possible choice

ORDER YOUR STARTER KIT!

The discovery box puts at your disposal all the products necessary to realize your first clinical cases:

- A set of 6 or 9 sterile iPhysio® Profile Designers for single use (one of each shape A, B, C, D and one of each height)
- 1 iPhysio® try in Profile Designers kit with iPhysio® try in reusable (one of each shape and one of each height)
- iPhysio® temporary clip-in abutment



Compatibility	Reference
Anthogyr® - Axiom® BL REG, PX and X3	CDIAAX
Biotech Dental® - Kontakt®, Kontakt S®	CDIBKO
GlobalD® - In-Kone® Universal and Primo	CDIGIK
Nobel Biocare® - NobelActive®, NobelReplace® CC and NobelParallel® CC - Implant Direct® - InterActive®	CDINCC
Straumann® - Bone Level (BL) and Bone Level Tapered (BLT)	CDISBL
ZimVie® - Tapered Screw-Vent®, Trabecular Metal™, TSX™ / MIS® - SEVEN® and M4® - Implant Direct® - Legacy® / BioHorizons® - Internal, Tapered Internal, Tapered Plus	CDIZSC
Alpha-Bio Tec® - NeO, SPI, I.C.E., DFI, ATID / A.B. Dental® - I2, I22, I5, I55, I10	CDIZSC35
LYRA ETK® Naturactis, Naturall+, Natea+, Astra Tech® - OsseoSpeed™ TX Ocean/Aqua - Easy Implant® - Master-C, Master-S Ocean	CDIE3N

LYRA-ETK
DIGITAL DENTAL PROTOCOLS

Simple . Safe . Accessible